

UNITED STATES PATENT APPLICATION

for

A MOBILE TELE-COMPUTER NETWORK

Inventor:

Curtis Clark

prepared by:

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
12400 Wilshire Boulevard
Los Angeles, CA 90025-1026
(408) 720-8598

File No.: 02690.P002X

EXPRESS MAIL CERTIFICATE OF MAILING

"Express Mail" mailing label number. EL164805057US

Date of Deposit. 12/21/98
I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Gloria R. Chavarria
(Typed or printed name of person mailing paper or fee)

Gloria R. Chavarria
(Signature of person mailing paper or fee)

A MOBILE TELE-COMPUTER NETWORK

This application is a continuation-in-part of application serial number 08/718,748, entitled Mobile Tele-Computer Network for Motion Picture, Television and TV Advertising Production, filed September 23,
5 1996. *Now US Patent No. 5,960,874*
¹

FIELD OF THE INVENTION

The present invention relates to the field of communications systems; more particularly, the present invention relates to mobile
10 communications designed for advantageous use with motion picture, television and TV advertising production.

BACKGROUND OF THE INVENTION

Most areas of corporate enterprise are rapidly advancing their
15 productivity via the use of computer networking. Computer networking is the connecting of multiple computers into a common communication system so that information may be exchanged between them. Computer network technology is redefining the way corporate America works. Computers and networking are being converged, spawning a synergistic
20 fusion between the two that is reshaping current understanding of computer functionality. The advent of mobile computing employing high powered full-featured laptop and notebook computers as replacements for conventional desktop computer systems has enabled the "virtual office" to become the fastest growing area of business "real

estate".

Intranets have recently begun to replace traditional client-server private networks as the chosen preference for network-centric (group) tele-computing. An Intranet is a private computer network using public

5 Internet TCP/IP protocols and designed to be the most efficient and easy to use network for sharing information and data, including text, image and audio. Intranets are relatively cheap, they can exploit Internet features including the ability to establish Web sites to disseminate information, and they use available browsers (e.g., Netscape) to search for

10 information.

The creative and commercial success of Motion Picture, Television and TV Advertising film production is dependent on the ability of the parties to communicate with their audiences. Likewise, the professionals engaged in the making of these films and TV shows would greatly

15 enhance their efficiency and thereby reduce their production costs by incorporating computer network technology into their highly mobile work environment. Such technology may also improve prospects for more effective creative collaboration. However, there is currently no integrated and coherent mobile network computing technology that

20 satisfies the needs of motion picture, television, and TV advertising production.

Although historically slow in embracing new electronic techniques, film and TV production personnel have recently been

awakening to the incredible benefits that accrue from incorporating networked computing into their work and lifestyles. Fueled by the escalating need for ever greater efficiency to reduce production costs, a system to incorporate telecomputing into film and TV production is
5 needed.

Furthermore, the realities of Motion Picture, Television, and Advertising film production demand a fail-safe reliability to any of the service areas that it depends on. Therefore, any solution that reduces production cost and increase efficiency cannot be implemented at the
10 expense of reliability.

The present invention provides a telecomputer network that satisfies the needs of the Motion Picture, Television and TV Advertising industry. The network may be used to increase efficiency, reduce production costs and enhance creative collaboration, while maintaining
15 reliability.

SUMMARY OF THE INVENTION

A telecomputer network is described. The network of the present invention includes a wireless voice and data wide area network (WAN) comprises a digital satellite communications system with a network operations center that controls voice and data traffic. The network also comprises at least one mobile communication hub and a wireless local area network (LAN). In one embodiment, the network uses a mesh topology to allow transmission and reception from one mobile communications hub to another mobile communications hub or transmission reception from a mobile communications hub to the network operations center. Point-to-point digital microwave links may be used to allow transmission and reception from fixed locations to the network operations center. In one embodiment, the satellite communication system and the wireless LAN transfer information using an ethernet packet switching protocol, such as an Internet protocol (e.g., the TCP/IP protocol). The mobile hub may be in the form of a mobile vehicle (e.g., van) configured to transfer information as a single nomadic transmission/reception point between the satellite communication system (i.e., the wireless WAN) and the wireless LAN.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will be understood more fully from the detailed description given below and from the accompanying drawings of various embodiments of the invention, which, however, should not be taken to limit the invention to the specific embodiments, but are for explanation and understanding only.

5

Figure 1 is a block diagram of one embodiment of the system of the present invention.

10

DETAILED DESCRIPTION OF THE PRESENT INVENTION

A mobile network for use is described. In the following description, numerous details are set forth, such as bit rates, distances, etc. It will be apparent, however, to one skilled in the art, that the present invention may be practiced without these specific details. In other instances, well-known structures and devices are shown in block diagram form, rather than in detail, in order to avoid obscuring the present invention.

10 Overview of the Present Invention

A tele-computing network architecture is described. In one embodiment, the network comprises a wireless local area network (LAN), at least one mobile hub, and a wireless wide area network (WAN) that includes a satellite communication system with a network operations center to control voice and data traffic. In one embodiment, the satellite communication system is a digital satellite system, although it may be analog. The mobile hub may be in the form of a mobile vehicle (e.g., a van) or a portable field unit and is configured to transfer information as a single nomadic transmission/reception point between the satellite communication system and the wireless LAN.

In one embodiment, the architecture includes a point-to-point microwave communication system to relay data from the fixed locations to the network operations center.

In one embodiment, the satellite and terrestrial microwave communication system transfers information using a satellite transponder or fixed terrestrial microwave radio via an ethernet packet switching protocol such as, for example, the IEEE 802 series of protocols or

5 any proprietary protocols the TCP/IP protocol used on the World Wide Web. By using the ethernet packet communication, multiple applications may access the satellite communications network or terrestrial communications network. The wireless LAN also utilizes the ethernet protocol to transfer information.

10 In one embodiment, the wireless WAN of the present invention operates as a private Intranet using the TCP/IP protocols of the Internet. Its user operation may be based on the platform independent, Graphical User Interface (GUI) of the World Wide Web (e.g., Netscape Navigator)

15 ✓ CGI (Common Gateway Interface), DHTML (Dynamic HyperText Markup Language), XML (eXtensible Markup Language) and SGML (Standard Generalized Markup Language). By using Web browser software (HTML, VRML, Java language, and numerous audiovisual "plug-ins" developed for Netscape), the present invention may create an effective, efficient, and easy to use Web based graphical multimedia environment for the

20 dissemination of information and data on a private intranet, such as one used by media production industries.

Although the architecture is described with use of the TCP/IP Internet protocol, other protocols may be used. For instance, other

protocols which may be employed by the architecture include asynchronous transfer mode (ATM), Internet Packet Exchange (IPX) protocol, Lotus Notes, SNMP (Simple Network Management Protocol), NNP, Multiple Internet Mail Exchange (MIME), IP (Internet protocol) -

5 ATM, Web Network File System (WNFS), File Transfer Protocol (FTP), Fiber Distributed Data Interface (FDDI), Reliable Multi-cast Transfer Protocol (RMTP), and Multiprotocol Over ATM (MPOA).

The wireless WAN is preferably a secure network. In such a case, software programs provide a secure "fire wall" to bar unauthorized entry

10 from the public Internet. In one embodiment, access codes and passwords are used to control access to data available through the network. In one embodiment, encryption is used on all data traffic between designated locations and our secured intranet servers and the high speed wireless digital network. Such security in the form of

15 software is well-known in the art.

In one embodiment, the existing Internet backbone may be employed, where necessary, for relaying data between the servers of system users and intranet servers that provide the gateway to the wireless network of the present invention.

20 The integration of wireless LAN ethernet technology with a satellite voice and data communications system provides broadband, high speed wireless connections between locations and fixed sites, which supports, for example, industries such as the Motion Picture, Television,

and TV Advertising industries. The high bandwidth and fast data rate wireless mobility also enable a custom designed, fully integrated mobile computer network system. The use of point-to-point digital terrestrial microwave links provides transmission reception between fixed sites and
5 the master network operations center at high data rates.

Thus, a unique telecommunication system is provided that is a comprehensive full-featured mobile Web-based intranet information management and communication system supported by a broadband digital microwave terrestrial and/or satellite-based microwave network
10 infrastructure.

Exemplary Network System Embodiments

Figure 1 illustrates the network system of the present invention. Referring to Figure 1, the system 100 of the present invention comprises a
15 satellite communications subsystem that communicates with one or more mobile units, such as mobile unit 103, and one or more wireless local area network (LAN) 104. Note that in one embodiment, there is a mobile unit supporting every wireless LAN. The mobile unit may be a mobile vehicle. In the following description, a vehicle unit is referred to
20 as a mobile hub station.

Wireless LANs at individual locations are linked to the satellite communications system of the present invention. In one embodiment, the LAN 104 is a wireless ethernet LAN connecting multiple remote

personal computers (PCs) as nodes. In one embodiment, the LAN 104 covers an "on site" radius of up to 1/2 mile at 2Mbps from a mobile hub station, strategically placed at the designated location, such as mobile vehicle 103. For instance, the LAN 104 may be at the production's

5 location LAN to service the location tele-computing communication needs of a film or TV production unit, even when shooting on a stage or studio lot.

In one embodiment the LAN is secure. The LAN may employ standard encryption or logging on security. In an alternate embodiment,

10 10 the LAN includes video conferencing capabilities.

In one embodiment, the LAN 104 transfers data at 1 to 100 megabits per second to single or multiple points in the network infrastructure, which is the mobile hub station such as the mobile unit 103 described below. In one embodiment, the mobile hub station is

15 housed in a custom fitted motor home (e.g., vehicle, van) that not only links the location LAN 104 to the Internet backbone via the satellite communications system (i.e., the wireless WAN) but also to single or multiple points in the network infrastructure.

In one embodiment, the mobile hub station includes a file server

20 which accesses a proxy server. The server, such as server 103A, in each hub station is used to coordinate communication with a satellite transmission/reception system. The server updates the server back at a master network operations center and operates in synchronization with

the master network operations center. The file server may also employ file sharing and routes mail. The master network operations center would have access to these records.

In one embodiment, the mobile hub station also comprises a

5 separate workstation viewing environment for broadband high resolution video or data. In one embodiment, a communications infrastructure is included for interactive relay of broadband real time video or large image and graphic data files. The video and large image and graphic image and data files can be transmitted and received at full

10 workstation resolution. In one embodiment, the workstation includes a high resolution progressive scan monitor.

Note that the master network operations center may coordinate all communication over the telecomputing network of the present invention. The network operations center includes a server to control

15 communications with the entire system. In one embodiment, the network operations center comprises a single master location. As the network operations center grows in size additional network operations centers may be added at other locations. These additional network operation centers may be interconnected by terrestrial-based high

20 bandwidth fiber optic links to the master location. Other communication techniques such as, for example, satellite or other wireless techniques may be used. As bandwidth requirements increase, additional satellite communications equipment and transponder capacity may be included

in order to reduce overloading of the space segment.

Software

The present invention uses Web-based software applications

5 designed to facilitate information/data base organization and communication for the various areas of production specialization: directors; producers; cinematographers; editors; script supervisors; art directors; assistant directors; production managers; location managers; casting directors, etc.

10 In one embodiment, incorporated within its Web-based software applications, the service provides e-mail, downloading or uploading files from the FTP sites and Internet Relay Chat (IRC), as well as video conferencing. The system of the present invention may also offer the latest developments in "Web phone" voice communications and

15 switched telephony from within the LAN to any telephones covered by local microcells outside the range of the LAN. This replaces conventional cellular phone connections and is seamlessly integrated with the Intranet's multi-media environment.

Acting as a "gateway" onto the full range of public Internet

20 services, clients access any part of the Internet from their remote location nodes connected through one of a wireless LANs of the present invention, as well as from any conventional or cellular phone connection.

In one embodiment, the Intranet database management may be implemented using an inter/intranet standard such as IIOP (Internet Inter Operable-ORB) based on COBRA (Common Object Request Broker Architecture) and DCOM (Distributed Common Object Model) using active X framework.

The practical use of the mobile telecomputing network in the filmmaking process will become as routine and valued as that of the Cinematographer or Production Designer. The ability to do real time wireless relay of High Resolution digital film images from a graphics workstation directly to a shooting location offers new dynamic possibilities for the Digital Artist to participate as an active crew member in location filming. A skilled Digital Artist, working along side the Special FX Supervisor, may help shape the way Directors, Cinematographers, Production Designers and Producers are able to integrate their ideas with ever expanding possibilities of digital technology. Having remote mobile access during the shoot to digital image processing via the broadband wireless relay network of the present invention combine traditionally separated production from post-production.

CGI (Computer Graphics Imaging) work in progress, designed as composite components for live action images, can be relayed for viewing and manipulation by members of the shooting crew. The CGI work can be evaluated and altered from the location and transmitted to digital

effects house or any specified location. An additional two-way collaborative video-conferencing link can be established, thereby making CGI truly interactive with the live-action filming process. Virtual Sets that will eventually be composited with the final film image can be
5 integrated as reference components into camera compositions during live action shooting utilizing a high quality video assist. Video assist images can be captured from the camera view finder and relayed over the mobile tele-computing network to specified locations.

Digital animated multimedia storyboards that are capable of
10 incorporating 3D spatial renderings can become valuable interactive tools both for conceptual fine tuning and shot planning. Input from a variety of image sources, including photographic, graphic and CGI, both still and/or full motion, can be incorporated to generate a fertile environment facilitating the creative process. These animated
15 multimedia storyboards will be able to function as evolving organic "documents" during the entire production process helping to fine tune ideas and concepts between the director and his/her key collaborators.

Any information or data relevant to production administration, e.g., story boards, scripts or script changes, production schedules, budgets,
20 maps and directions, location photos, call sheets, casting information, payroll information, accounting reports, bulletins, personnel directories, vendor catalogues, etc., incorporating text, audio, image, video can be uploaded to the production company's private intranet Web server

resident at a central office(s) and accessed on demand by any authorized personnel regardless of their location. Even if a production member is outside the wireless LAN/WAN Service Area, access to the private intranet may be made via any conventional public Internet connection
5 from anywhere in the world via a modem or ISDN terminal adapter.

In one embodiment, the system uses a camera generated time code to link to the Web and network application servers. This allows for productions to cross-reference and access to all relevant data (e.g., script supervisor notes and camera data) to specific scenes and takes via this
10 frame accurate time code.

Content that may be carried as traffic on the mobile telecomputing network on motion picture and television productions and TV advertising productions includes, but is not limited to, the following:

production logistics data such as accounting data, budget
15 data, scheduling data for production personnel, camera reports, production reports, costume and prop data;

telephony and fax services (using IP transport mechanisms or wireless telephony systems);

video teleconferencing and collaborative software, such as,
20 for example electronic white board conferencing;

high-bandwidth motion picture audio and visual materials such as computer graphics imaging, composited digital film images, digital special effects, digitized motion picture film, telecined digital

video, digital audio sequences, non-linear editing files, multimedia data for still and compressed image and video materials;

Internet, Extranet and electronic commerce information and data, such as access to vendor sites for camera rental, lighting rental,

5 props, etc.; and

e-mail and integrated messaging services.

The system may be used in oil and gas exploration. Content that may be carried as traffic on the mobile telecomputing network oil and gas exploration, construction and any other industries requiring nomadic

10 communications systems includes, but is not limited to, the following:
business engineering logistics data such as accounting data, payroll, timesheets, meeting reports and memorandum, budget data, scheduling data, project management reports;

telephony and fax services (using IP transport mechanisms

15 or wireless telephony systems);

video tele conferencing and collaborative software,
such as electronic white board conferencing;

e-mail and integrated messaging services;

high-bandwidth engineering data such as CAD files,

20 seismic and oil exploration imaging data, mapping and geographic data, architectural and construction drawings, site surveys and associated imaging and video data; and

17

Internet, Extranet and electronic commerce information and data, such as access to vendor sites for equipment, services and materials that will be leased, rented or purchased. For example, drilling rigs, heavy construction

5 equipment such as earthmovers, fittings, pipeline sections, helicopters, etc.

In one embodiment, some equipment may be designed as modular, portable and ruggedized packages that need little, if any, setup times and use small footprint designs.

10 In one embodiment, one such package offers an entire range of services in a portable, ruggedized field unit designed to provide both image delivery and production Intranet services in one package. In one embodiment, it may be used for sending and receiving large image and data files or non-linear editing

15 sequences from post-production or digital effects facilities. A ruggedized, workstation-class computer with large RAID arrays (e.g., 45-80 GB) for local disk storage and local tape or optical backup may be integrated into the portable unit as a "receive and store" system to ensure faster local access to data and complete

20 data integrity. A production Intranet service may be provided for

continuous Intranet and Extranet connectivity and complete communications services for IP telephony and fax services.

Wireless local LAN connectivity and wireless phone systems may be provided for personal mobility. It may be equipped with

- 5 two fully automated antenna systems for image delivery and production Intranet services. Other functionalities, as described below, may be included for full wireless connectivity. Optional items include:

Portable NT Graphics Workstation and/or

- 10 Portable SGI Graphics Workstation

Collaborative Videoconferencing (High Quality System)

Real-time 4:2:2 NTSC/PAL digital video and audio

Portable Digital Video Assist Recorder

Additional Notebooks

- 15 In an alternate embodiment, another package is a medium-sized portable field unit in a ruggedized case designed to deliver image delivery services such as digital effects sequences, non-linear editing sequences and other large image or data files. A ruggedized, workstation-class computer with large RAID arrays (e.g., 45-80 GB) for local disk storage and
- 20 local tape and optical backup may be integrated into the portable unit as a "receive and store" system to ensure faster local access to data and

complete data integrity. It may be used at sites that may have existing graphics workstations, digital video workstations or non-linear editing stations. It may also support an optional real-time 4:2:2 NTSC/PAL digital video and audio.

5 In still another embodiment, a package is a smaller portable field unit in a ruggedized case designed to provide continuous Intranet and Extranet connectivity and IP satellite telephony and IP fax services. Wireless local LAN connectivity and wireless phone systems may be provided for personal mobility. A small workstation may be included as a
10 local server to provide faster local connectivity and ensure data integrity. A separate automated antenna kit may also be included in a ruggedized case. The NOC provides connectivity to the wired infrastructure and Internet.

In one embodiment, a portable NT graphics workstation may
15 provide an optional, lower cost graphics viewing package as a portable field unit in a ruggedized case designed to complement the full location and image delivery packages. It may be capable of viewing and playback of digital effects and non-linear editing sequences, using various imaging file formats such as Cineon, Alias and SoftImage up to D-1 resolution. It
20 may have a color-corrected monitor to provide uniform viewing environments. It may also have a "hot-swappable" drive to allow field playback of video assist sequences captured using the digital video assist recorder. It may also include a remote color calibration system to ensure

precise matching of colorimetry and the Cineon system to ensure accurate previews of digitally-composited material and CGI elements.

In one embodiment, a portable SGI graphics workstation may be an optional, high-powered graphics viewing package based on the SGI

- 5 Octane is a portable field unit in a ruggedized case designed as a complement to the full location and image delivery packages. It may be capable of viewing and playback of longer digital effects and non-linear editing sequences, using various imaging file formats such as Cineon, Alias and SoftImage at higher resolutions than the NT model. This
- 10 workstation may provide image resolutions than the NT model. This workstation may provide image resolutions from d-1 to 3k x 4k and will be designed for field viewing conditions. It may include a remote color calibration system for precise matching of colorimetry and the Cineon system to ensure accurate previews of digitally composited material and
- 15 CGI elements.

In one embodiment, a portable digital video assist recorder, based on NT workstation in a ruggedized portable field case, may be used to capture images directly from video assist feeds on Panavision cameras at D-1 resolutions. It may have a "hot-swappable" drive to allow direct

- 20 transfer of captured sequences to the Image Delivery server for transmission to other locations or to view sequences on the Portable NT Graphics Workstation. Simple and ruggedized operator control may be installed to make the recorder function like a video cassette

In one embodiment, a portale location scout and pre-production package is included, which is a smaller version of the Portable Production Intranet Package scaled-down to fit inside a car trunk or small van. It may be light enough for one person to carry and have a small

- 5 automatically aligning antenna system. It may deliver data from remote locations at speeds up to 1.5 megabits per second. A notebook computer with a wireless LAN connection may be included in the package along with a small satellite phone. With this package, a pre-production person can scout location sites and capture images with a digital still camera
- 10 using the Kodak PREview system, then transmit the images in a matter of seconds or minutes to any NeTune-enabled location.

Whereas many alterations and modifications of the present invention will no doubt become apparent to a person of ordinary skill in the art after having read the foregoing description, it is to be understood 15 that the particular embodiment shown and described by way of illustration is in no way intended to be considered limiting. Therefore, references to details of the various embodiment are not intended to limit the scope of the claims.

Thus, a mobile tele-computer network has been described.